

平成21年度河川水・下流域地下水水質調査結果（第2回）

（単位：mg/l）

		河川水等				処分場対岸部地下水		下流域地下水					環境基準	
		処分場上流	処分場下流	樫曲大橋	北陸トンネル出口	井戸 (Kb-3)	井戸 (Kb-4)	事業所井戸 (瀬河内)	観測井戸1号 (深)	観測井戸1号 (浅)	観測井戸4号	観測井戸5号 (深)		観測井戸5号 (浅)
採水年月日		H21.7.21	H21.7.21	H21.7.21	H21.7.21	H21.7.21	H21.7.21	H21.7.21	H21.7.21	H21.7.21	H21.7.21	H21.7.21	H21.7.21	
天 候		曇	曇	曇	曇	曇	曇	曇	曇	曇	曇	曇	曇	
気 温		24.6	24.6	24.6	24.8	25.4	24.8	25.4	24.8	24.8	25.4	25.4	25.4	
水 温		19.0	19.2	19.6	16.5	16.4	15.5	15.6	16.4	18.5	15.4	15.5	14.5	
一般項目	pH（実験室）	定量下限	7.5	7.5	7.5	7.6	—	—	—	—	—	—	—	6.5～8.5
	DO	0.5	9.1	9.0	8.9	10	—	—	—	—	—	—	—	7.5以上
	BOD	0.5	ND	ND	0.6	ND	—	—	—	—	—	—	—	2
	SS	1	10	6	13	ND	—	—	—	—	—	—	—	25
	大腸菌群数 (MPN/100ml)	2	92,000	13,000	24,000	22	—	—	—	—	—	—	—	1000
健康項目	カドミウム	0.001	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.01
	全シアン	0.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	検出されないこと
	鉛	0.002	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.01
	六価クロム	0.02	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.05
	ヒ素	0.005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.01
	総水銀	0.0005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0005
	アルキル水銀	0.0005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	検出されないこと
	P C B	0.0005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	検出されないこと
	ジクロロメタン	0.002	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.02
	四塩化炭素	0.0002	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.002
	1,2-ジクロロエタン	0.0004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.004
	1,1-ジクロロエチレン	0.002	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.02
	シス-1,2-ジクロロエチレン	0.004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.04
	1,1,1-トリクロロエタン	0.0005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1
	1,1,2-トリクロロエタン	0.0006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.006
	トリクロロエチレン	0.002	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.03
	テトラクロロエチレン	0.0005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.01
	1,3-ジクロロプロパン	0.0002	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.002
	チウラム	0.0006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.006
	シマジン	0.0003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.003
チオベンカルブ	0.002	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.02	
ベンゼン	0.001	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.01	
セレン	0.002	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.01	
硝酸性窒素及び亜硝酸性窒素	0.02	0.59	0.81	0.78	0.26	0.02	ND	0.84	0.17	0.92	0.86	0.14	1.0	10
ふっ素	0.1	0.2	0.2	0.1	0.3	0.2	0.3	0.2	0.2	0.2	1.2	0.2	0.1	0.8
ほう素	0.02	ND	0.12	0.07	0.06	2.5	3.0	0.07	0.07	0.09	0.18	0.02	0.06	1
その他	塩素イオン	0.5	10	21	17	15	520	520	53	35	25	21	16	21
	電気伝導度 (μ S/cm)	—	100	160	160	240	2,000	2,000	280	340	200	290	180	180
	ダイオキシン類 (pg-TEQ/L)	—	0.071	0.072	0.070	0.063	0.063	0.063	0.062	0.062	0.062	0.062	0.063	0.062
	ビスフェノールA (μ g/L)	0.01	ND	2.6	0.65	0.08	0.02	0.06	ND	ND	ND	ND	ND	ND

ND：定量下限値未満 ー：分析なし