

2 資料

1) 栽培漁業センター取水水温（令和4年4月～令和5年3月）

月日	4月	5月	6月	7月	8月	9月	10月	11月	12月	1月	2月	3月
1	12.0	15.5	19.7	23.2	27.4	29.0	24.7	20.8	17.0	12.2	10.7	10.6
2	12.1	15.6	19.9	23.5	27.3	29.0	24.7	20.8	16.5	12.6	11.0	10.6
3	12.1	15.6	19.4	24.1	27.3	29.0	24.7	21.0	16.8	12.5	11.0	10.4
4	12.1	15.3	19.5	23.4	28.0	28.9	24.8	20.7	16.8	11.8	11.2	10.7
5	12.3	15.4	19.8	23.6	28.5	28.3	24.2	20.5	16.0	11.9	10.9	10.7
6	12.4	15.7	19.6	23.8	28.8	27.8	24.0	20.3	15.7	12.3	11.0	10.7
7	12.5	15.4	19.7	24.8	29.0	27.3	23.9	20.1	16.1	12.6	11.6	11.0
8	12.5	15.8	20.3	25.2	29.3	27.6	23.8	20.0	16.1	12.8	11.8	11.3
9	12.7	16.2	20.1	25.3	29.4	27.5	23.3	20.2	15.8	12.9	11.7	11.5
10	12.5	16.2	20.3	24.3	29.4	27.5	23.4	19.8	15.9	13.1	11.4	11.5
11	12.7	16.1	20.2	24.9	29.4	27.4	23.4	19.8	15.6	12.5	11.6	11.6
12	12.8	16.1	19.9	25.2	29.4	27.4	23.4	19.7	15.7	12.9	11.4	11.8
13	13.1	16.1	20.6	25.2	29.3	27.3	23.3	19.7	15.6	13.3	11.6	11.7
14	13.4	16.2	20.7	26.6	29.3	27.5	23.3	19.8	15.6	13.6	11.1	11.7
15	14.0	16.6	20.0	26.7	29.7	27.5	23.2	19.1	15.4	13.8	10.8	11.9
16	14.0	16.4	20.4	26.8	29.8	27.0	23.3	18.8	14.5	13.7	10.5	12.0
17	14.4	16.5	20.4	26.6	29.8	26.1	23.3	18.6	14.6	13.1	10.7	12.0
18	14.5	16.5	20.4	26.4	29.8	25.2	22.9	18.5	14.2	13.2	11.0	12.0
19	14.1	16.5	20.2	26.2	29.8	25.3	22.7	18.7	13.9	12.9	11.0	12.1
20	14.0	16.4	20.8	26.3	29.7	24.5	22.5	18.8	13.8	13.3	10.7	12.2
21	13.8	17.1	21.1	26.6	29.6	24.2	22.6	18.9	14.0	12.9	10.4	12.3
22	13.9	16.6	20.4	26.9	29.7	24.2	22.7	18.8	13.2	13.1	10.6	12.3
23	14.0	17.1	21.0	26.8	29.6	24.3	22.4	18.5	12.5	13.3	10.8	12.5
24	13.9	17.1	21.3	26.9	29.6	24.4	22.0	18.4	13.4	13.0	10.9	12.3
25	14.0	17.8	21.4	26.7	29.5	24.4	22.0	18.3	13.2	11.5	10.7	12.5
26	14.4	17.2	22.8	27.2	29.5	24.5	21.5	18.3	12.7	11.2	10.4	12.6
27	14.8	16.9	22.9	26.9	29.4	24.5	21.4	18.3	13.0	11.5	10.3	12.7
28	15.3	17.7	23.3	26.9	29.2	24.5	21.5	17.8	12.4	11.5	10.4	12.8
29	15.9	17.9	23.4	27.1	28.9	24.6	21.2	17.9	12.7	10.5		13.0
30	15.7	18.4	23.6	27.0	29.0	24.7	21.0	18.0	11.8	10.6		13.0
31		18.7		26.9	29.1		20.8		12.1	10.6		13.0
上旬平均	12.3	15.7	19.8	24.1	28.4	28.2	24.2	20.4	16.3	12.5	11.2	10.9
中旬平均	13.7	16.3	20.4	26.1	29.6	26.5	23.1	19.2	14.9	13.2	11.0	11.9
下旬平均	14.6	17.5	22.1	26.9	29.4	24.4	21.7	18.3	12.8	11.8	10.6	12.6
月平均	13.5	16.5	20.8	25.7	29.1	26.4	23.0	19.3	14.6	12.5	11.0	11.8

2) 内水面総合センター取水水温

(1) 新飼育棟地下水

令和4年度の新飼育棟で使用している地下水の水温を表1、図1に示す。

表1 新飼育棟における使用地下水の水温（令和4年4月～令和5年3月）

日\月	4月	5月	6月	7月	8月	9月	10月	11月	12月	1月	2月	3月
1	6.8	6.9	8.1	8.9	9.8	11.0	14.1	15.4	15.5	14.5	13.5	11.2
2	6.8	6.9	8.0	8.8	9.8	10.9	14.1	15.4	15.5	14.5	13.3	
3	6.8	7.0	8.2	8.8	9.8	11.0	14.2	15.5	15.5	14.6	13.2	11.0
4	6.8	7.1	8.1	8.9	9.8	11.0	14.5	15.5	15.4	14.5	13.1	10.8
5	6.8	7.1	8.2	9.0	9.9	11.2	14.3	15.5	15.2	14.5	13.0	10.5
6	6.8	7.1	8.3	8.9	10.0	11.1	14.4	15.3	15.2	14.5	13.0	10.7
7	6.8	7.2	8.3	9.0	9.8	11.1	14.5	15.3	15.2	14.2	13.2	10.5
8	6.8	7.2	8.2	9.2	10.0	11.3	14.5	15.8	15.2	14.4	13.1	10.5
9	6.8	7.2	8.2	9.2	10.1	11.6	14.6	15.5	15.2	14.5	13.1	10.4
10	6.8	7.3	8.3	9.2	10.2	11.6	14.6	15.7	15.2	14.6	13.1	10.3
11	6.9	7.3	8.3	9.2	10.2	11.7	14.8	15.7	15.1	14.4	12.9	10.2
12	6.8	7.4	8.3	9.2	10.3	11.8	14.9	15.7	15.0	14.4	12.7	10.1
13	6.9	7.4	8.3	9.1	10.2	11.8	14.9	15.7	15.0	14.4	12.7	10.0
14	6.8	7.4	8.4	9.3	10.2	12.0	15.0	15.7	15.0	14.5	12.6	9.8
15	6.8	7.5	8.4	9.3	10.3	12.1	15.0	15.7	15.0	14.5	12.4	9.8
16	6.8	7.5	8.5	9.2	10.2	12.1	15.0	15.7	14.9	14.2	12.2	9.6
17	6.8	7.4	8.6	9.3	10.3	12.3	15.2	15.8	14.9	14.3	12.3	9.6
18	6.8	7.5	8.7	9.3	10.3	12.4	15.1	15.6	14.7	14.3	12.2	9.4
19	6.8	7.5	8.7	9.4	10.4	12.4	15.2	15.7	14.8	14.4	12.1	9.3
20	6.8	7.5	8.6	9.4	10.6	12.6	15.3	15.3	14.6	14.2	12.0	9.3
21	6.8	7.3	8.8	9.4	10.6	12.9	15.3	15.6	14.6	14.1	11.8	9.3
22	6.9	7.6	8.8	9.3	10.7	13.0	15.4	15.6	14.7	14.2	11.6	9.1
23	6.8	7.6	8.7	9.5	10.6	13.1	15.5	15.7	14.6	14.1	11.6	9.1
24	6.8	7.7	8.8	9.5	10.6	13.1	15.6	15.6	14.6	13.9	11.7	9.0
25	6.8	7.7	8.8	9.5	10.4	13.4	15.5	15.6	14.5	13.8	11.5	8.9
26	6.4	7.8	8.8	9.6	10.6	13.5	15.1	15.7	14.6	13.9	11.4	8.9
27	6.8	7.8	8.7	9.7	10.6		15.4	15.7	14.6	13.8	11.3	8.7
28	6.9	7.7	8.8	9.6	10.8	13.8	15.3	15.6	14.6	13.7	11.2	8.7
29	6.9	7.8		9.8	10.7	13.9	15.3	15.6	14.5	13.6		8.7
30	6.9	7.8	8.8	9.8	11.4	14.0	15.3	15.6	14.5	13.4		8.6
31		7.8		9.8	10.7		15.4		14.5	13.3		8.6
上旬平均	6.8	7.1	8.2	9.0	9.9	11.2	14.4	15.5	15.3	14.5	13.2	10.7
中旬平均	6.8	7.4	8.5	9.3	10.3	12.1	15.0	15.7	14.9	14.4	12.4	9.7
下旬平均	6.8	7.7	8.8	9.6	10.7	13.4	15.4	15.6	14.6	13.8	11.5	8.9
月平均	6.8	7.4	8.5	9.3	10.3	12.2	14.9	15.6	14.9	14.2	12.4	9.7




図1 新飼育棟における使用地下水の水温（令和4年4月～令和5年3月）

(2) 新飼育棟河川水

令和4年度の新飼育棟で使用している河川水の水温を表2、図2に示す。

表2 新飼育棟における使用河川水の水温（令和4年4月～令和5年3月）

日\月	4月	5月	6月	7月	8月	9月	10月	11月	12月	1月	2月	3月
1	7.8	11.8	16.2		23.4	21.9	19.1	14.6	12.3	7.2	5.0	7.1
2	7.8	10.7	16.9		23.9	20.9	19.9	14.2	11.3	6.9	5.0	7.3
3	8.0	11.0	18.5		23.6	21.2	20.1	16.0	10.1	7.4	5.5	6.3
4	8.4	11.9	18.2		22.7	21.2	19.7	15.9	10.3	7.6	5.2	7.2
5	8.6	13.2	18.3	22.0	21.2	22.0	20.1	14.9	10.3	7.4	5.3	7.2
6	9.4	14.3	18.1	21.5	20.0	21.9	18.6	14.4	10.4	7.5	6.0	7.1
7	9.6	14.5	16.9	22.3	20.9	21.0	16.9	13.9	10.2	7.7	6.3	7.9
8	9.6	14.9	15.4	23.1	21.5	19.6	16.4	13.8	8.8	7.9	6.4	7.9
9	9.3	14.2	16.2	23.2	21.9	19.6	16.7	13.2	9.6	8.0	6.2	8.1
10	10.1	11.8	17.7	22.2	22.1	19.7	16.5	13.4	10.0	7.5	6.3	8.7
11	10.2	14.3	17.7	21.5	22.0	19.7	16.8	13.7	10.7	6.9	5.8	8.6
12	10.5	14.1	17.1	22.9	22.6	19.9	16.0	14.0	10.0	6.8	6.4	8.4
13	10.8	14.8	17.9	20.4	22.9	20.0	16.0	14.7	9.5	6.9	6.8	9.0
14	11.1	15.2	18.4	19.9	22.7	20.1	17.1	14.6	9.7	7.9	6.2	8.8
15	10.2	13.8	17.3	19.9	21.6	20.1	18.0	13.7	7.6	7.6	5.6	7.4
16	9.5	13.1	17.4	19.8	22.3	20.5	18.1	13.2	7.4	7.6	5.1	8.0
17	9.6	14.0	18.5	20.0	21.9	19.7	18.5	12.3	8.1	7.3	5.1	8.6
18	9.9	13.9	19.2	20.8	21.1	19.6	17.9	12.4	7.8	7.0	5.5	8.8
19	9.9	15.3	18.9	20.3	20.6	20.2	17.2	12.4	5.3	7.0	5.6	8.4
20	10.3	15.8	20.5	19.7	20.9	20.7	15.9	12.4	4.8	6.9	4.8	8.1
21	11.0	15.3	20.8	19.6	21.0	18.0	15.3	12.8	6.6	6.6	5.4	8.6
22	10.8	14.9	20.0	19.6	20.7	17.5	15.5	13.9	7.6	6.4	5.0	8.8
23	11.0	17.5	20.3	18.9	21.7	18.0	16.2	13.8	6.2	6.8	6.0	10.2
24	10.9	17.5	21.8	18.5	21.6	18.4	16.7	13.1	5.5	7.2	5.7	10.3
25	11.3	18.3	22.0	20.0	21.5	17.9	16.6	13.0	5.5	4.1	6.1	10.0
26	13.6	18.4	22.1	20.8	20.6	18.2	15.7	12.4	6.6	4.2	6.1	9.4
27	12.9	17.6	21.1	21.8	21.1	18.7	14.7	13.5	6.9	4.4	5.7	9.1
28	11.0	16.5	22.0	22.0	20.7	18.1	14.2	12.9	7.3	4.7	6.5	9.1
29	12.1	17.1	23.0	22.5	20.6	18.0	14.6	13.5	7.3	5.3		9.1
30	10.9	18.0	23.4	23.1	21.2	18.7	14.8	14.9	7.4	3.9		9.4
31		17.5		23.2	21.3		14.0		7.3	3.9		9.5
上旬平均	8.8	12.8	17.3	22.4	22.1	20.9	18.4	14.4	10.3	7.5	5.7	7.5
中旬平均	10.2	14.4	18.3	20.5	21.9	20.1	17.2	13.3	8.1	7.2	5.7	8.4
下旬平均	11.6	17.1	21.7	20.9	21.1	18.1	15.3	13.4	6.7	5.2	5.8	9.4
月平均	10.2	14.9	19.1	21.1	21.7	19.7	16.9	13.7	8.3	6.6	5.7	8.5




図2 新飼育棟における使用河川水の水温（令和4年4月～令和5年3月）